



Vanity basin	Dimension	Weight	Order number
countertop basin, with overflow, with tap platform, 600 mm			
Colors			
00 White Alpin			
Variant			
•	600 x 435 mm	11.100 kilogram	0357600027
Sanitary ceramics with the special WonderGliss surface finish time to come. When ordering WonderGliss please add a "1" as eleventh digit		attractive-looking for a long	
Accessory			
Push-open waste for washbasins with overflow		0.400 kilogram	005052
Suitable products			
Vanity unit wall-mounted 1 pull-out compartment, countertop including one cut-out, for 1 vanity basin central, 800×550 m			KT6794
Vanity unit wall-mounted 1 pull-out compartment, countertop including one cut-out, for 1 vanity basin central, $1000 \times 550 \text{m}$			KT6795
Vanity unit wall-mounted 1 pull-out compartment, countertop including one cut-out, for 1 vanity basin central, $1200 \times 550 \text{ n}$			KT6796
Vanity unit wall-mounted 2 pull-out compartments, 1 countertop with one cut-out or two cut-outs, for 1 or 2 vanity basin(s), $1400 \times 550 \text{ mm}$	1400 x 550 mm		KT6797 B/L/R
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, countertop including one cut-out, for 1 vanity basin central, $800 \times 550 \text{ mm}$	800 x 550 mm		KT6754



Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, countertop including one cut-out, for 1 vanity basin central, 1000 x 550 mm	1000 x 550 mm	KT6755
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, countertop including one cut-out, for 1 vanity basin central, 1200 x 550 mm	1200 x 550 mm	KT6756
Vanity unit wall-mounted 4 drawers, drawer beneath basin including cut-out for siphon and siphon cover, 1 countertop with one cut-out or two cut-outs, for 1 or 2 vanity basin(s), 1400 x 550 mm	1400 x 550 mm	KT6757 B/L/R
Console 1 console with one cut-out, Width min. see ordering information, Width max 2000 mm, price per section of 100 mm, basic price till 800 mm, 550 mm	550 mm	DS828C
Console 1 console with two cut-outs, Width min. see ordering information, Width max 2000 mm, price per section of 100 mm, basic price till 800 mm, 550 mm	550 mm	DS829C
Vanity unit for console compact 1 pull-out compartment, 700 x 478 mm	700 x 478 mm	DS5301
Vanity unit for console compact 1 pull-out compartment, 800 x 478 mm	800 x 478 mm	DS5302
Vanity unit for console compact 1 pull-out compartment, 900 x 478 mm	900 x 478 mm	DS5303
Vanity unit for console compact 1 pull-out compartment, 1000 x 478 mm	1000 x 478 mm	DS5304
Vanity unit for console 1 pull-out compartment, 700 x 548 mm	700 x 548 mm	DS5311
Vanity unit for console 1 pull-out compartment, 800 x 548 mm	800 x 548 mm	DS5312
Vanity unit for console 1 pull-out compartment, 900 x 548 mm	900 x 548 mm	DS5313
Vanity unit for console 1 pull-out compartment, 1000 x 548 mm	1000 x 548 mm	DS5314
Vanity unit for console compact 1 pull-out compartment, 720 x 477 mm	720 x 477 mm	LC5801
Vanity unit for console compact 1 pull-out compartment, 820 x 477 mm	820 x 477 mm	LC5802
Vanity unit for console compact 1 pull-out compartment, 920 x 477 mm	920 x 477 mm	LC5803
Vanity unit for console compact 1 pull-out compartment, 1020 x 477 mm	1020 x 477 mm	LC5804
Vanity unit for console 1 pull-out compartment, 720 x 547 mm	720 x 547 mm	LC5811
Vanity unit for console 1 pull-out compartment, 820 x 547 mm	820 x 547 mm	LC5812
Vanity unit for console 1 pull-out compartment, 920 x 547 mm	920 x 547 mm	LC5813
Vanity unit for console 1 pull-out compartment, 1020 x 547 mm	1020 x 547 mm	LC5814
Vanit unit for console wall-mounted 1 pull-out compartment, 800 x 548 mm	800 x 548 mm	XS4900
Vanit unit for console wall-mounted 1 pull-out compartment, 1000 x 548 mm	1000 x 548 mm	XS4901
Vanit unit for console wall-mounted 1 pull-out compartment, 1200 x 548 mm	1200 x 548 mm	XS4902



Vanit unit for console wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 800 x 548 mm	800 x 548 mm	XS4910
Vanit unit for console wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1000 x 548 mm	1000 x 548 mm	XS4911
Vanit unit for console wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1200 x 548 mm	1200 x 548 mm	XS4912
Vanit unit for console wall-mounted 2 pull-out compartments, 1400 x 548 mm	1400 x 548 mm	XS4903 L/R
Vanit unit for console wall-mounted 2 pull-out compartments, 1600 x 548 mm	1600 x 548 mm	XS4904 R/L
Vanit unit for console wall-mounted 4 drawers, 1400 x 548 mm	1400 x 548 mm	XS4913 L/R
Vanit unit for console wall-mounted 4 drawers, 1600 x 548 mm	1600 x 548 mm	XS4914 L/R
Vanit unit for console wall-mounted 2 pull-out compartments, 1400 x 548 mm	1400 x 548 mm	XS4906 B
Vanit unit for console wall-mounted 2 pull-out compartments, 1600 x 548 mm	1600 x 548 mm	XS4907 B
Vanit unit for console wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1400 x 548 mm	1400 x 548 mm	XS4916 B
Vanit unit for console wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1600 x 548 mm	1600 x 548 mm	XS4917 B
Console for above counter basin and countertop basin 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 45 mm thickness, 550 mm	550 mm	DS102C
Console for above counter basin and countertop basin 1 console with two cut-outs, price per section of 100 mm, basic price till 800 mm, 45 mm thickness, 550 mm	550 mm	DS103C
Console for above counter basin and countertop basin 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 550 mm	550 mm	DS106C
Console for above counter basin and countertop basin 1 console with two cut-outs, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 550 mm	550 mm	DS107C
Console for above counter basin and countertop basin 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 45 mm thickness, 550 mm	550 mm	LC102C
Console for above counter basin and countertop basin 1 console with two cut-outs, price per section of 100 mm, basic price till 800 mm, 45 mm thickness, 550 mm	550 mm	LC103C
Console for above counter basin and countertop basin 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 550 mm	550 mm	LC106C
Console for above counter basin and countertop basin 1 console with two cut-outs, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 550 mm	550 mm	LC107C
Console for above counter basin and countertop basin compact 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 45 mm thickness, 480 mm	480 mm	DS100C



Console for above counter basin and countertop basin compact 1 console with two cut-outs, price per section of 100 mm, basic	480 mm	DS101C
Console for above counter basin and countertop basin compact 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 480 mm	480 mm	DS104C
Console for above counter basin and countertop basin compact 1 console with two cut-outs, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 480 mm	480 mm	DS105C
Console for above counter basin and countertop basin compact 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 45 mm thickness, 480 mm	480 mm	LC100C
Console for above counter basin and countertop basin compact 1 console with two cut-outs, price per section of 100 mm, basic price till 800 mm, 45 mm thickness, 480 mm	480 mm	LC101C
Console for above counter basin and countertop basin compact 1 console with one cut-out, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 480 mm	480 mm	LC104C
Console for above counter basin and countertop basin compact 1 console with two cut-outs, price per section of 100 mm, basic price till 800 mm, 30 mm thickness, 480 mm	480 mm	LC105C
Vanity unit wall-mounted 1 pull-out compartment, 1 console with one cut-out, 800 x 550 mm	800 x 550 mm	DE4947
Vanity unit wall-mounted 1 pull-out compartment, 1 console with one cut-out, 1000 x 550 mm	1000 x 550 mm	DE4948
Vanity unit wall-mounted 1 pull-out compartment, 1 console with one cut-out, 1200 x 550 mm	1200 x 550 mm	DE4949
Vanity unit wall-mounted 1 drawer, 1 pull-out compartment, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 1000 x 550 mm	1000 x 550 mm	DE4968
Vanity unit wall-mounted 1 drawer, 1 pull-out compartment, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 1200 x 550 mm	1200 x 550 mm	DE4969
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 800 x 550 mm	800 x 550 mm	XV4770
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 1000 x 550 mm	1000 x 550 mm	XV4771
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 1200 x 550 mm	1200 x 550 mm	XV4772
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 1400 x 550 mm	1400 x 550 mm	XV4773 R/L
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 1600 x 550 mm	1600 x 550 mm	XV4775 L/R
Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with two cut-outs, $1400 \times 550 \text{ mm}$	1400 x 550 mm	XV4774 B



Vanity unit wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with two cut-outs, $1600 \times 550 \text{ mm}$	1600 x 550 mm	XV4776 B
Vanity unit wall-mounted 1 pull-out compartment, 1 console with one cut-out, 800 x 550 mm	800 x 550 mm	K24885
Vanity unit wall-mounted 1 pull-out compartment, 1 console with one cut-out, 1000 x 550 mm	1000 x 550 mm	K24886
Vanity unit wall-mounted 1 pull-out compartment, 1 console with one cut-out, 1200 x 550 mm	1200 x 550 mm	K24887
Vanity unit wall-mounted 2 pull-out compartments, 1 countertop with one cut-out or two cut-outs, 1400 x 550 mm	1400 x 550 mm	K24888 B/L/R
Vanity unit wall-mounted 2 pull-out compartments, 1 countertop with one cut-out or two cut-outs, 1600 x 550 mm	1600 x 550 mm	K24889 L/B/R
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, $800 \times 550 \text{ mm}$	800 x 550 mm	K24895
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, $1000 \times 550 \text{ mm}$	1000 x 550 mm	K24896
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1 console with one cut-out, 1200 x 550 mm	1200 x 550 mm	K24897
Vanity unit wall-mounted 4 drawers, 1 countertop with one cut- out or two cut-outs, 1400 x 550 mm	1400 x 550 mm	K24898 B/L/R
Vanity unit wall-mounted 4 drawers, 1 countertop with one cut- out or two cut-outs, 1600 x 550 mm	1600 x 550 mm	K24899 B/L/R
Recommended faucets		
Single lever basin mixer M ceramic cartridge, Projection 113 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, recommended operating pressure 1 - 5 bar, with pop-up waste set,		C11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B21020001
Single lever basin mixer L ceramic cartridge, Projection 136 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, recommended operating pressure 1 - 5 bar, with pop-up waste set,		C11030001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		B11020002



Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	B21020002
Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	DE1020001
Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	DE1020002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	DE1021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	DE1021002
Single lever basin mixer M ceramic cartridge, projection 116 mm, aerator with Easy-clean sprayplate, normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, without pop-up waste set,	CE1020002
Single lever basin mixer M ceramic cartridge, projection 116 mm, aerator with Easy-clean sprayplate, normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, with pop-up waste set,	CE1020001
Single lever basin mixer M ceramic cartridge, projection 122 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, with pop-up waste set,	WA1020001
Single lever basin mixer M ceramic cartridge, projection 122 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, without pop-up waste set,	WA1020002
Single lever basin mixer M ceramic cartridge, projection 129 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, recommended operating pressure 1 - 5 bar, with pop-up waste set,	MH1020001
Single lever basin mixer M ceramic cartridge, projection 129 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, recommended operating pressure 1 - 5 bar, without pop-up waste set,	MH1020002
Single lever basin mixer M FreshStart connection size DN15,	CE1021001
Single lever basin mixer M FreshStart connection size DN15,	CE1021002
Single lever basin mixer M MinusFlow connection size DN15,	CE1022001



Single lever basin mixer M MinusFlow connection size DN15,	CE1022002
Single lever basin mixer M FreshStart ,	MH1021001
Single lever basin mixer M FreshStart ,	MH1021002
Single lever basin mixer M MinusFlow ,	MH1022001
Single lever basin mixer M MinusFlow ,	MH1022002
Single lever basin mixer M FreshStart connection size DN15,	WA1021001
Single lever basin mixer M FreshStart connection size DN15,	WA1021002
Single lever basin mixer M MinusFlow connection size DN15,	WA1022001
Single lever basin mixer M MinusFlow connection size DN15,	WA1022002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.