

Talis M54

Single lever kitchen mixer 210 with pull-out spray, 2 spray modes

Finish: **Stainless Steel Finish** Art. no. : **72800800**



Description

product features

- ComfortZone 210 provides space for greater freedom of movement
- Swivel spout adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray, shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- quick connect hose
- Maximum flow rate (at 3 bar): 8 l/min
- Operating pressure: min. 1 bar/max. 10 bar
- ceramic cartridge
- 3/8" hose connections
- integrated non-return valve
- extension length up to 50 cm
- tap hole with Ø 35 mm required

Article Details

Price excl. VAT

£ 482.10

Technology



Design awards




reddot winner 2020



Product image



Scale drawing




Talis M54

Single lever kitchen mixer 210 with pull-out spray, 2 spray modes

Finish: **Stainless Steel Finish** Art. no. : **72800800**



Flowchart



Talis M54


Single lever kitchen mixer 210 with pull-out spray, 2 spray modes

Finish: **Stainless Steel Finish** Art. no. : **72800800**



Exploded Drawing

Year of production: >04/20



Talis M54

Single lever kitchen mixer 210 with pull-out spray, 2 spray modes

Finish: **Stainless Steel Finish** Art. no. : **72800800**



Spare part list

Year of production: >04/20

Pos.	Description	Art. no.	Price	PU
1	spout cpl.	93739800	-	1
2	O-ring 8x2	98112000	-	1
3	cramp	87684000	-	1
4	handspray	93741800	-	1
5	filter	98516000	-	1
6	non return valve DW 10	96456000	-	1
7	spray former	93342000	-	1
8	service tool	95910000	-	1
9	set of locating rings (60° / 110° / 150°)	94911000	-	1
10	set of lever collars	98365000	-	1
11	O-ring 19x2	98426000	-	1
12	O-ring 20x1,5	98197000	-	1
13	handle	93736800	-	1
14	hollow set screw M5x5	98446000	-	1
15	screw cover	93735610	-	1
16	flange	93737800	-	1
17	nut	93738000	-	1
18	O-ring 25x1,5	98146000	-	1
19	O-ring 30x1,5	98433000	-	1
20	O-ring 29x2	98391000	-	1
21	cartridge, assy	93740000	-	1
22	O-ring 36x3	98052000	-	1
23	support	97523000	-	1
24	fixing set (Ø 34)	95049000	-	1
25	lever collar	97548000	-	1
26	weight	92500000	-	1
27	hose	93745000	-	1
28	hose	93744000	-	1
29	O-ring 7x1,5	98422000	-	1
30	connection hose 900 mm M8x0,75 G3/8	93746000	-	1
31	O-ring 6,6x1,6	93019000	-	1
a	set of adapters	93395000	-	1