

ShowerSelect Glass
Thermostatic mixer for concealed installation for 2 outlets
 Finish: **White/ Chrome** Art. no. : **15738400**



Description

product features

- designed to run 2 outlets
- multiple outlets can be run simultaneously
- Select push button on / off control for 2 outlets
- thermostat cartridge, start/ stop cartridge
- Maximum flow rate (at 3 bar): 29.7 l/min
- flow rate upper outlet 25 l/min at 3 bar
- flow rate lower outlet 23 l/min at 3 bar
- Flow rate by simultaneous use of all outlets (at 3 bar): 29.7 l/min
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar
- Safety stop at 40°C
- Maximum temperature can be adjusted on installation
- Connection type: basic set
- thermostat is delivered with buttons Handshower and RainLarge
- if running with a pump, please specify a universal (negative head) pump
- winner of the iF product design award 2015
- Noise class: II
- WRAS 2211001 - Approval letter
- WRAS 2211001
- EPD_20230023_Thermostats

Article Details

Price excl. VAT £ 941.67

Technology




Certificates / Sustainability



Product image




Scale drawing



ShowerSelect Glass
Thermostatic mixer for concealed installation for 2 outlets
 Finish: **White/ Chrome** Art. no. : **15738400**



Flowchart




ShowerSelect Glass
Thermostatic mixer for concealed installation for 2 outlets
 Finish: **White/ Chrome** Art. no. : **15738400**



Exploded Drawing

Year of production: >07/15



ShowerSelect Glass
Thermostatic mixer for concealed installation for 2 outlets
 Finish: **White/ Chrome** Art. no. : **15738400**



Spare part list

Year of production: >07/15

Pos.	Description	Art. no.	Price	PU
1	handle for thermostat	92215000	-	1
2	handle fixing set	95843000	-	1
3	symbol handshower	92573450	-	1
4	symbol head shower Rain large	92571450	-	1
5	escutcheon 155 / 155 mm	92623400	-	1
6	escutcheon for exchanged connections	92843400	-	1
7	O-ring 44x4	98471000	-	1
8	sleeve	92216000	-	1
9	holder for escutcheon	98793000	-	1
10	set of fixing screws	96454000	-	1
11	nut and flange	92696000	-	1
12	Select-adapter	92219000	-	1
13	nut	98368000	-	1
14	shut off unit	95758000	-	1
15	nut	98913000	-	1
16	thermostat cartridge	98282000	-	1
17	cartridge for exchanged connections	92373000	-	1
18	O-ring 25x2,5	92146000	-	1
19	O-ring 25x1,5	98146000	-	1
20	O-ring 20x1,5	98197000	-	1
21	O-ring 36x2	98156000	-	1
22	set of screws	96525000	-	1
23	O-ring 16x2	98133000	-	1
24	noise reduction	94073000	-	1
25	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
26	non return valve	97980000	-	1
27	extension 25 mm	13595000	-	1
28	set of fixing screws	97747000	-	1
29	extension 22 mm	13604000	-	1
30	compensation set 1°	95521000	-	1
31	fit-up aid	92540000	-	1
a	concealed item	01800180	-	1
b	symbol ON/OFF	92579450	-	1
c	symbol head shower Rain small	92572450	-	1
d	symbol Mono	92576450	-	1
e	symbol Whirl	92575450	-	1
f	symbol Flood jet	92574450	-	1
g	symbol body shower	92578450	-	1
h	symbol tub	92577450	-	1
i	Grease	90920000	-	1
j	shut off unit (special)	92361000	-	1