

AXOR One
Shower set 75 1jet EcoSmart with wall connection
 Finish: **Matt Black** Article Number: **48791670**



product features

- consists of: hand shower, shower bar, shower hose, slider, wall connector, shower hose, shower bar
- shower head size: 73 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 9,1 l/min
- minimum flow pressure: 0,8 bar
- operating pressure: min. 1.5 bar/max. 6 bar
- metal hand shower holder
- wall mounting: screw fastening
- wall supports of metal
- profile pipe: round
- shower bar diameter: 25 mm
- drilling distance: 929 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling

Technology




Design awards



Product image




Scale drawing



AXOR One
Shower set 75 1jet EcoSmart with wall connection
 Finish: **Matt Black** Article Number: **48791670**



Flowchart





The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

AXOR One
Shower set 75 1jet EcoSmart with wall connection
 Finish: **Matt Black** Article Number: **48791670**



Installation examples




AXOR One
Shower set 75 1jet EcoSmart with wall connection
 Finish: **Matt Black** Article Number: **48791670**



Exploded Drawing

Year of production: >06/21



AXOR One
Shower set 75 1jet EcoSmart with wall connection
 Finish: **Matt Black** Article Number: **48791670**



Spare part list

Year of production: >06/21

Pos.		Article Number	PC	PU
1	mounting set	96179000	4	1
2	lower support element	94358670	65	1
3	screw	97795000	3	1
4	tile-matching-disk 7 mm	96397000	99	1
5	cover	94527670	61	1
6	O-Ring 13x3	98184000	1	1
7	handshower	48651670	99	1
8	filter	92672000	2	1
9	seal	98058000	1	1
10	support, assy	95480670	62	1
11	shower hose 1,60 m	28626670	99	1
12	sleeve	94361670	63	1
13	set of non return valves DW 15	94074000	5	1
14	connecting thread	95392000	6	1
15	O-ring 14x2	98129000	1	1
16	O-ring 17x2	98199000	1	1
17	escutcheon	94359670	60	1
18	hollow set screw M5x8	92851000	1	1
19	connecting thread G½	95626000	10	1
20	O-ring 13x2	98128000	1	1